

## LHB01

Protection class :	IP65
Beam diffusion angle :	30°x70°, 60°x90°, , 40°x130°, 120°
Colour temperature :	3000K – 5000K
Colour rendering index :	>73Ra
Power supply :	110~277 50~60 Hz
Cos Φ :	> 0.93
Product colour	Black / white / grey





### Six power rates available:

Model	Luminous flux	Dimensions	Net weight
LHB01-60W	8200 lm	L486xW137xH102	3.4 Kg
LHB01-90W	12700 lm	L718xW137xH102	4.7 Kg
LHB01-120W	16600 lm	L948xW137xH102	5.7 Kg
LHB01-150W	20100 lm	L1178xW137xH102	6.9 Kg
LHB01-180W	24400 lm	L718xW275xH102	8.5 Kg
LHB01-240W	33200 lm	L948xW275xH102	10.5 Kg

High quality LED projectors, integrating components from reputable suppliers (Nichia LED, Meanwell power supply). Thanks to the distribution of LEDs over a large area, the glare often associated with LEDs is limited and good heat dissipation is ensured. The anodized aluminium casing and the polycarbonate lens are sturdy and have a very long service life (50,000 hours).

Available as option: - ZigBee or DALI variable plus an extensive range of control and mounting accessories.

This lamp is guaranteed for five years, for heavy duty lighting applications, it is also certified to the latest European lighting standards.



## FL08

Protection class :	IP65
Beam diffusion angle :	15°-60°
Colour temperature :	3000K – 5000K
Colour rendering index :	Ra70/Ra80
Power supply :	110~277 50~60 Hz
Cos Φ :	> 0.93
Product colour :	Black



### Six power rates available :

Model	Luminous flux	Dimensions	Net weight
FL08-100W	13500 lm	413x366x83mm	6.3 kg
FL08-120W	16200 lm	413x366x83mm	6.5 kg
FL08-150W	20250 lm	413x366x83mm	6.8 kg
FL08-180W	24300 lm	462x452x87mm	8.4 kg
FL08-200W	27000 lm	462x452x87mm	8.6 kg
FL08-240W	32400 lm	462x452x87mm	8.9 kg

High quality LED projectors, integrating components from reputable suppliers (Nichia LED, Meanwell power supply). Thanks to the distribution of LEDs over a large area, the glare often associated with LEDs is limited and good heat dissipation is ensured. The anodized aluminium casing and the polycarbonate lens are sturdy and have a very long service life (50,000 hours).

This lamp is guaranteed for five years, for heavy duty lighting applications, it is also certified to the latest European lighting standards.

